

Date _____
 Sales Representative _____
 Name _____
 Address _____
 City _____ State/Zip _____
 Phone _____ Fax _____
 Email _____

Account Number _____
 Purchase Order Number _____
 Ship To Address _____

 Contact _____
 Phone _____
 Opportunity Reference/Project Name _____
 Projected Close Date _____

Quote Order

Application: Residential - Single Family Home

Shipping Method: Pick-Up Common Carrier

Model

- RPL400 (53" max)
- RPL600 (77" max)
- Exact Lifting Height _____ inches (measured from top landing to floor)

Drive Power

- AC Power (Standard)
- DC Power CPL030

Platforms

- Straight Through (Standard 36" x 48")
- RPL050 36" x 54" Platform
- CPL053 36" x 54" 90° Platform
- VPL3654 36" clear x 54" Platform Upgrade

Power Supply


- 115v.....60 hz
- 220v.....60 hz
- 220v.....50 hz

Controls

- PL016 Call-Send Control Quantity _____
- PL017 Wireless Call-Send Control
- CPL015 Key Lock Upgrade for Control Quantity _____

Tower Orientation

- Left Hand Right Hand




Optional Equipment

- CPL060 Fascia Panel - Lift Height Required _____ Height in Feet
(10-14 day lead time - 41" wide)
- CPL062 Tower Brace
- VPL160 Custom Color
(Available with 8-10 week lead time)
- VPL155 Coastal Package per foot Qty _____
- MR60 60" x 60" Express Deck

Top Landing Gate/Door Swing

- CPL002L: Left-hand, with EMI Interlock & Call/Send
- CPL002R: Right-hand, with EMI Interlock & Call/Send
- CPL003L: Left-hand, with EMI Interlock & No Call/Send
- CPL003R: Right-hand, with EMI Interlock & No Call/Send
- CPL006L: Left-hand, 42" wide gate with EMI Interlock & Call/Send
- CPL006R: Right-hand, 42" wide gate with EMI Interlock & Call/Send
- CPL007L: Left-hand, 42" Wide Gate with EMI Interlock & No Call/Send, Left-hand
- CPL007R: Right-hand, 42" Wide Gate with EMI Interlock & No Call/Send, Right-hand
- CPL008L: EMI Interlock For Door/Gates provided by others, Left-hand
- CPL008R: EMI Interlock For Door/Gates provided by others, Right-hand
- CPL008WR: Wiring only for interlock by others (top landing only)

Top Landing Gate/Door Swing



DRAWING FOR APPROVAL

An application-specific drawing is requested and **production will be scheduled after return of signed approval drawing.**
Upcharge if lift is not ordered within 90 days of drawing submission.

DRAWING FOR PRESENTATION

An application-specific drawing is requested and **order will be scheduled immediately for production.**

*Lift Gate Required Yes No

**Please note that the units are shipped laying down. A lift gate is unable to be used on models 6' and taller. These units will require a loading dock or arrangements can be made to pick up at the terminal.*

NOTES

ADDITIONAL INFORMATION

The product you are about to order will be carefully inspected at the factory to assure every component is correct and undamaged. It ships F.O.B. Missouri, meaning it becomes the property of the receiver upon leaving our factory. Therefore it is incumbent on you, the receiver, to carefully inspect the package to assure it has been delivered in good order and is undamaged.

Prior to signing for the shipment, inspect the package carefully.

VISIBLE DAMAGE: You must note any visible damage on the freight bill. If product damage is obvious, we recommend a further immediate inspection to see what other damage may be concealed, and this also must be written on the freight bill.

CONCEALED DAMAGE: If no damage was immediately evident, but is found later (within 48 hours), stop what you are doing and call the freight company immediately to report concealed damage.

Pictures of the damage are great support in any freight claim and are strongly recommended. Failure to take these steps may preclude your ability to be reimbursed for any damage in transit. We have personnel available to assist with this process Monday – Friday, 7:30 am – 5:00 pm CST by calling 800-833-0478.

On all VPL orders Harmar will only warranty and support a Harmar provided electromechanical interlock.

Thank you for your business!



I have read and understand the above:

Date: _____

Print Name: _____

Sign Name: _____

Harmar Vertical Platform Lifts are designed to meet ASME A18.1 Performance Safety Standards when properly equipped. While Harmar Vertical Platform Lifts meet national standards, it is imperative to check State and Local code requirements before installing to ensure compliance. All State and Local compliance is the responsibility of the purchaser. Some states may require fees for site preparation and permits. Harmar Vertical Platform Lifts should only be installed by a certified, professional Harmar installer. If the Vertical Platform Lift is installed by any other means, the purchaser and installer assume responsibility for issues that may arise involving improper installation.